



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/471,393	12/23/1999	JAN STENSBORG	0459-0386P	7348

7590 01/14/2002

BIRCH STEWART KOLASCH & BIRCH LLP
PO BOX 747
FALLS CHURCH, VA 220400747

EXAMINER

JACKSON, MONIQUE R

ART UNIT PAPER NUMBER

1773

DATE MAILED: 01/14/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

8W-14

Advisory Action

Application No.

09/471,393

Applicant(s)

STENSBORG ET AL.

Examiner

Monique R Jackson

Art Unit

1773

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 27 December 2001 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.
 b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.
 ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
 2. ☒ The proposed amendment(s) will not be entered because:
 (a) ☒ they raise new issues that would require further consideration and/or search (see NOTE below);
 (b) ☒ they raise the issue of new matter (see Note below);
 (c) ☒ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
 (d) ☒ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: See attached.

3. ☐ Applicant's reply has overcome the following rejection(s): _____.
 4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
 5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See attached.
 6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
 7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☒ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: NONE.

Claim(s) objected to: NONE.

Claim(s) rejected: 36-65.

Claim(s) withdrawn from consideration: NONE.

8. ☐ The proposed drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
 9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____.
 10. ☐ Other: _____

Art Unit: 1773

ADVISORY ACTION

Continuation of Item 2. NOTE: The proposed amendments filed 12/27/01 will not be entered because they raise new issues that would require further consideration and/or search, particularly the added claim limitations "wherein the step of pressing is performed when said first layer of non-metallic is in its dimensionally stable state" in Claim 36 and "which has been replicated by a method according to claim 36" in Claim 54; wherein the added limitation of Claim 36 possibly raises the issue of new matter. As noted, Claims 66 and 67 are additional claims presented without canceling a corresponding number of finally rejected claims.

Continuation of Item 5. Applicant's arguments have been considered but are moot given that they are directed to the proposed amendment submitted 12/27/01 that has not been entered for the reasons previously noted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Monique R Jackson whose telephone number is 703-308-0428. The examiner can normally be reached on Mondays-Thursdays, 8:00AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul J Thibodeau can be reached on 703-308-2367. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.



mrj
January 7, 2002



Paul Thibodeau
Supervisory Patent Examiner
Technique Center 1700